

**CITY OF BOULDER
PROCESS FOR OBTAINING A
MOBILE FOOD VEHICLE LICENSE**

“Mobile Food Vehicle” means a readily movable motorized-wheeled vehicle or a towed vehicle designed and equipped to prepare or serve and sell food, but which does not include mobile vending carts as defined in section 4-18-4, “University Hill Mobile Vending Cart Permit,” and section 4-11-12, “Mobile Vending Cart Permit,” B.R.C. 1981.

1. Obtain a Boulder County Public Health Certificate

Boulder County Public Health Department
3450 Broadway
Boulder, CO 80304
303-441-1100

2. Fill out applications for:

City Sales Tax License: <https://bouldercolorado.gov/tax-license/sales-and-use-tax>

Sales Tax Division
1777 Broadway, 1st floor

Mobile Food Vehicle License: <http://www.bouldercolorado.gov/licensing>

Please note: You must turn in your completed sales tax license application *with* your MFV application to the licensing division, not separately.

3. Mail or drop off to the City of Boulder Licensing Division: the entire, complete application and all required documents with a check for \$231.00 made out to the City of Boulder for the mobile food vehicle application fee and a check for \$25.00 made out to the City of Boulder for the sales tax license fee.

City of Boulder Licensing Division
Street address: 1777 Broadway, 1st floor, Boulder, CO 80302
Mailing address: P.O. Box 791, Boulder, CO 80306

CHECKLIST OF REQUIRED DOCUMENTS:

- | |
|---|
| <ul style="list-style-type: none"><input type="checkbox"/> Complete City of Boulder sales tax license application with fee<input type="checkbox"/> Copy of a valid Boulder County health department certificate for the mobile food vehicle<input type="checkbox"/> Copy of the mobile food vehicle’s valid motor vehicle insurance (and trailer, if applicable)<input type="checkbox"/> Certificate of insurance signed by agent with auto, general liability, & property damage insurance and naming the city and its officers as additional insured on liability policy for \$1 million liability (see example on MFV website)<input type="checkbox"/> Copies of valid driver’s licenses for all drivers of the mobile food vehicle<input type="checkbox"/> Current copy of the mobile food vehicle registration
Boulder Fire Inspection of Truck and/or Trailer with Inspection Approval Date per Chapter 9-6-5(d)(1)(E) & 4-1-9 BRC |
|---|

4. Please allow a minimum of four weeks processing time. The Licensing division will make every effort to process applications quickly. If approved, the license will be mailed to you.

5. Incomplete applications will be returned. If an application is denied, licensing will send a denial notice in the mail.

6. General mobile food vehicle questions: licensing@bouldercolorado.gov



City of Boulder

Finance Department

Tax and License Division

Sales and Use Tax · Community Information · Special Event Liquor
Liquor License · Miscellaneous License · Marijuana Business License

November 28, 2014

Dear Boulder Mobile Food Vehicle license holder or license applicant,

In 2015, the City of Boulder will require that licensed Mobile Food Vehicles that operate in the City of Boulder must be inspected and approved by the Boulder Fire Department before a city license is renewed and before a new city license is issued. This additional information is included in the attached MFV license application and is required based on our abilities to request complete information in accordance with B.R.C. 4-1.

To assist you in scheduling your inspection, a MFV Inspection Application form is attached here (please see next page) that you can complete and return to Amber Wright at Boulder Fire to request an inspection appointment. The fire inspections will be by appointment only on Wednesdays and Fridays and will require that you drive your truck or trailer to the Fire Department's offices.

If you have further questions or require additional information from me, please feel free to contact me.

Sincerely yours,

A handwritten signature in black ink, appearing to read "Mishawn J. Cook". The signature is fluid and cursive, with a long horizontal stroke extending to the right.

Mishawn J. Cook
Tax and License Manager, CMC
Phone: (303) 441-3010
Fax: (303) 441-1919
Email: cookm@bouldercolorado.gov
Website: www.bouldercolorado.gov/licensing



BOULDER FIRE-RESCUE
DIVISION OF FIRE SAFETY
Mike Rangel – Assistant Fire Marshal
3065 Center Green Dr.
Boulder, CO 80301
(303) 441-3348

Mobile Food Vehicle Inspection Application

To schedule an MFV inspection, this application must be completed legibly and emailed to our Administrative Specialist II, Amber Wright at wrighta@bouldercolorado.gov prior to scheduling an inspection. Once this is received, you will be contacted to schedule an appointment on a Wednesday or Friday of each week. These inspections will take place at Boulder Fire Department Headquarters located at 3065 Center Green Drive, Boulder, CO. 80301. Please contact Amber Wright @ (303) 441-4179 if you have any questions.

DATE:

Trade Name (DBA):

Business Mailing Address:

Business Owner Name: Cell Phone:
Email Address: Home Phone:

Approved Kitchen Address:

Emergency Contact Name: Phone:
Emergency Contact Name: Phone:
Emergency Contact Name: Phone:

Mobile Food Vehicle Information:

Make: Model:

VIN: License Plate Number: State:

Color: Business Name/Logo Advertised on Vehicle? Yes No

Business Name/Logo Advertised:

Propane Tanks on Board? Yes No Number of Bottles? @ lbs./each

Do your cooking operations produce grease-laden vapors? (Grills or Fryers) Yes No

Date Received: _____

Receipt Number: _____

Fee Received: _____

Check Number: _____



**CITY OF BOULDER
MOBILE FOOD VEHICLE LICENSE APPLICATION¹**

Please make checks payable to:

CITY OF BOULDER

Return completed application, fee and supporting documents to:

CITY OF BOULDER

FINANCE DEPARTMENT, TAX & LICENSE DIVISION

1777 Broadway, P.O. Box 791

Boulder, CO 80306

Please allow for at least 4 weeks processing time. You cannot legally operate a mobile food vehicle in the City of Boulder until you have received an approved Mobile Food Vehicle License, Boulder County Health Department Certificate, and City Sales Tax License.

The Mobile Food Vehicle License is valid until December 31 of issued year and must be renewed annually.

License 2015 Application Fee: \$231.00

License 2015 Renewal Fee: \$231.00

Legal Business Name:		Phone:	
Mailing Address:			
Business Contact Name:		Phone:	

Trade Name/DBA:		Phone:	
Email Address:			
Approved Kitchen Address:			

Business structure: Individual Partnership Corporation LLC

If an individual or partnership, provide the following information:

Name:		Birth Date:	
Home Address:			
Name:		Birth Date:	
Home Address:			
Name:		Birth Date:	
Home Address:			

(IF NECESSARY, SUPPLY ADDITIONAL INFORMATION ON A SEPARATE PAGE AND ATTACH)

If a corporation or LLC, provide the following information:

President/ Managing Member:

Name:		Birth Date:	
Home Address:			

VP/Member:

Name:		Birth Date:	
Home Address:			

Secretary/ Member:

Name:		Birth Date:	
Home Address:			

Treasurer/ Member:

Name:		Birth Date:	
Home Address:			

(IF NECESSARY, ATTACH INFORMATION ON A SEPARATE PAGE TO LIST ADDITIONAL MEMBERS)

Provide a list of owners & employees who will drive the mobile food vehicle. (IF NECESSARY, ATTACH A SEPARATE PAGE)

Legal Name	Home Address	Birth Date

Please provide a brief description of your business:

Boulder Fire Inspection of Truck and/or Trailer? ___ Yes ___ No _____ **Approval Date?** (See Inspection form here)

Below is a summary of the zoning requirements²:

Private Property: Allowed in the following commercially zoned districts with owner’s permission: Within use modules M1, M2, M3, B1, B2, B3, B4, B5, D1, D2, D3, I2, I3, I4³ and at least 150 feet from any residential zone and 150 feet from any existing restaurant⁴.

Public Right of Way, such as public streets: Allowed only in Industrial Zones⁵ or in connection with an approved organized event permit, or in the parking lot or the public right of way adjacent to North Boulder Park with prior approval by the Director of Parks & Recreation.

Public Property: Allowed at the Boulder Municipal Airport in such areas and manner within the Airport as approved by the Airport Manager, as part of an organized event permit, or in a public park with prior approval by the Director of Parks & Recreation.

Podding: Podding is when two or more Mobile Food Vehicles operate in close proximity to each other. There is no limit as to the number of Mobile Food Vehicles podding per private property with owner’s permission in the industrial zone district. There can be no more than two mobile food vehicles podding per private property in the following use modules [as indicated in the chart found in Section 9-6-1(d), BRC 1981]: M1, M2, M3, B1, B2, B3, B4, B5, D1, D2, and D3⁶. Mobile Food Vehicles must be at least 200 feet from another mobile food vehicle when operating in any public right of way.

Maps for applicant use: <https://bouldercolorado.gov/tax-license/mobile-food-vehicles> *

*The maps provided are intended to be used as a reference but shall not be relied upon as legal advice or used as a defense to a violation. By way of example and not of limitation, there may be changes to restaurant locations that may not be reflected in the maps. Therefore, it is the MFV operator’s responsibility to ensure that they are operating pursuant to the law. Refer to sections 4-18-2; 9-16-1; 9-6-5(d); 9-6-1(d), B.R.C.

Email address for specific questions related to the mobile food vehicle application: licensing@bouldercolorado.gov

Attachments that MUST BE INCLUDED with this Mobile Food Vehicle License application:

- Complete City of Boulder Sales Tax License application with fee
 - Copy of a valid Boulder County Health Department certificate for the mobile food vehicle
 - Copy of the mobile food vehicle’s valid motor vehicle insurance
 - Certificate of Insurance signed with auto, general liability & property insurance naming the city and its officers as an additional insured and certificate holder for \$1 million liability (see example on website)
 - Copies of valid driver’s licenses for all drivers of the mobile food vehicle
 - Current copy of the mobile food vehicle registration
- AND Boulder Fire Inspection of Truck and/or Trailer with Inspection Approval Date per Chapter 9-6-5(d)(1)(E) & 4-1-9 BRC

OATH OF APPLICANT

I hereby certify on behalf of the applicant and his/her agents and employees to agree to abide by the requirements as set forth in the Boulder Revised Code and as outlined in this application and the attachment to this application. I understand that it is the operator’s responsibility to ensure business operation in a legally permissible manner and location.

I hereby certify on behalf of the applicant and his/her agents and employees that the business has prior properly obtained, will keep on file, and will provide to the city immediately, if requested, a copy of the written permission from the private property owner to operate on their private property. I assume responsibility for the actions and omissions of the business’s agents and employees in the performance of or failure to perform its obligation under the permit.

I hereby certify under penalty of perjury in the second degree, that the above application, statements and all attachments are true and correct to the best of my knowledge, and that I have read, understood and agree to all conditions within this application and attachments.

Applicant signature:		Printed Name:	
Title:		Date:	

FOR OFFICE USE ONLY

SALES TAX

Date sent to Sales Tax:

Sales Tax Recommendation: Approve Deny

Remarks:			
Name:		Date:	

Mobile Food Vehicle Standards and Operating Requirements

Boulder Revised Code 9-6-5(d)⁷

Standards:

The City Manager will permit mobile food vehicle sales on private property or in the public right of way if the use is permitted in the applicable zoning district and meets the following standards and conditions:

The use shall be located at least:

- 150 feet from any residential zone districts except with prior approval by the city manager in the parking lot or the public right of way adjacent to North Boulder Park or in any other park as approved by the city manager; and
- 150 feet from any existing restaurant; and
- 200 feet from any other mobile food vehicle with regard to public right of way sales, no more than four mobile food vehicles per private property in downtown and commercial areas, and no limitation on the number of mobile food vehicles per private property with owner's permission in the industrial zone.

No person shall operate a mobile food vehicle sales use without a permit. The city manager may approve a permit upon payment of the fee prescribed by Section 4-20-65, B.R.C. 1981. The permit will be valid for 12 consecutive months, or such other time as the city manager may by rule designate. At a minimum, such application shall meet the following requirements:

- provide proof of and maintain a valid driver's license, vehicle registration, and current motor vehicle insurance;
- provide proof of and maintain a Colorado Retail Food license for a mobile unit;
- provide proof of and maintain a valid sales use tax license; and
- provide proof of liability insurance naming the city as an additional insured.

As a condition of accepting the permit, applicant shall sign an agreement, in a form acceptable to the city manager in which the applicant agrees to meet all requirements under the Boulder Revised Code and specifically, Chapter 4-1, "General Licensing Provisions, and 9-6-5(d), "Mobile Food Vehicle Sales" B.R.C. 1981; and assumes responsibility for the actions and omissions of its agents and employees in the performance of or failure to perform its obligation under the permit.

Operating Requirements:

No person who operates any mobile food vehicle shall:

- obstruct the pedestrian or bicycle access, the visibility of motorists, nor obstruct parking lot circulation or block access to a public street, alley or sidewalk;
- locate any vehicle, structure, or device upon a public sidewalk within the extended boundaries of a crosswalk or within ten feet of the extension of any building entranceway, doorway, or driveway;
- fail to maintain and provide proof when requested of written consent from the private property owner authorizing the property to be used for the proposed use with regard to mobile food vehicle sales on private property;
- fail to park legally;
- operate before 7 a.m. or after 9 p.m. and for no more than 4 hours at any one approved location;
- set up any structures, canopies, tables or chairs;
- sell anything other than food and non-alcoholic beverages;

- provide amplified music;
- place signs/banners in or alongside the public right of way or across roadways. Signs must be permanently affixed to or painted on the mobile food vehicle;
- fail to have the vehicle attended at all times;
- fail to permanently display to the public in the food handling area of the mobile food vehicle the permit authorizing such use;
- fail to provide at least three separate and clearly marked receptacles for trash, recycling, and compost and properly separate and dispose of all trash, refuse, compost, recycling and garbage that is generated by the use;
- cause any liquid wastes used in the operation to be discharged from the mobile food vehicle;
- fail to abide by all other ordinances of the City of Boulder.

1. This application shall be applicable to "Mobile Food Vehicles" as defined in section 9-16-1, B.R.C. "Mobile Food Vehicle" means a readily movable, motorized-wheeled vehicle or a towed vehicle designed and equipped to prepare, or serve, and sell food, but which does not include mobile vending carts as defined in section 4-18-4, "University Hill Mobile Vending Cart Permit," and section 4-11-12, "Mobile Vending Cart Permit," B.R.C. 1981.
2. See section 9-6-5 (d), "Mobile Food Vehicle Sales", B.R.C. 1981.
3. As indicated in section 9-6-1(d) B.R.C. chart
4. The effect of a restaurant closing down its business permanently may create a new mobile food vehicle allowable area until a new restaurant replaces the former. It is the Mobile Food Vehicle operator's responsibility to ensure they are operating in a legally permissible area.
5. As indicated in section 9-6-1(d) B.R.C. chart
6. As indicated in section 9-6-1(d) B.R.C. chart
7. This document should not be relied upon as legal advice. Refer to sections 4-18-2; 9-16-1; 9-6-5(d); 9-6-1(d), B.R.C.

1) NEED: CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)

06/16/2011

(Insurance card copy not sufficient)

20-2882

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.

INSURERS AFFORDING COVERAGE

NAIC #

INSURED

INSURER A: L SOUTHWEST
 INSURER B: AUTO OWNERS INS. CO.
 INSURER C:
 INSURER D:
 INSURER E:

BOULDER CO 80304

COVERAGES

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED, NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	ADDL INSRD	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS		
A		GENERAL LIABILITY		04/19/11	04/19/12	EACH OCCURRENCE	\$ 1,000,000	
		<input checked="" type="checkbox"/> COMMERCIAL GENERAL LIABILITY				DAMAGE TO RENTED PREMISES (Ea occurrence)	\$	
		<input type="checkbox"/> CLAIMS MADE <input checked="" type="checkbox"/> OCCUR				MED. EXP (Any one person)	\$	
		2 > General Liability Insurance at this level >					PERSONAL & ADV INJURY	\$ 1,000,000
							GENERAL AGGREGATE	\$ 2,000,000
		GEN'L AGGREGATE LIMIT APPLIES PER:					PRODUCTS-COMP/OP AGG.	\$
		<input type="checkbox"/> POLICY <input type="checkbox"/> PRO-JECT <input type="checkbox"/> LOC						
B		AUTOMOBILE LIABILITY				COMBINED SINGLE LIMIT (Ea accident)	\$	
		<input type="checkbox"/> ANY AUTO				BODILY INJURY (Per person)		
		<input type="checkbox"/> ALL OWNED AUTOS				BODILY INJURY (Per accident)		
		<input type="checkbox"/> SCHEDULED AUTOS				PROPERTY DAMAGE (Per accident)	\$	
	<input type="checkbox"/> HIRED AUTOS				*State of Colorado Minimum Insurance Limits Required			
	<input type="checkbox"/> NON-OWNED AUTOS							
		GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$	
		<input type="checkbox"/> ANY AUTO				OTHER THAN EA ACC	\$	
						AUTO ONLY: AGG	\$	
		EXCESS / UMBRELLA LIABILITY				EACH OCCURRENCE	\$	
		<input type="checkbox"/> OCCUR <input type="checkbox"/> CLAIMS MADE				AGGREGATE	\$	
							\$	
		<input type="checkbox"/> DEDUCTIBLE					\$	
		<input type="checkbox"/> RETENTION \$					\$	
		WORKERS COMPENSATION AND EMPLOYERS' LIABILITY				WC STATU-TORY LIMITS	OTHER	
		ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED?				E.L. EACH ACCIDENT	\$	
		If yes, describe under SPECIAL PROVISIONS below				E.L. DISEASE-EA EMPLOYEE	\$	
						E.L. DISEASE-POLICY LIMIT	\$	
		OTHER:						

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/ SPECIAL PROVISIONS

4 > City of Boulder are additionally insured with insurance with respect to general liability.

CERTIFICATE HOLDER

CANCELLATION

5 > The City of Boulder
 PO Box 791
 Boulder, Co 80301

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR REPRESENTATIVES.

AUTHORIZED REPRESENTATIVE

Steve Longenecker
 Steve Longenecker

Attention: Tax and License Division



BOULDER FIRE-RESCUE
DIVISION OF FIRE SAFETY
Mike Rangel – Assistant Fire Marshal
3065 Center Green Dr.
Boulder, CO 80301
(303) 441-3348

Mobile Food Vehicle Fire Safety Information

Inspections

The Boulder Fire Department is involved in the licensing process by requiring a fire inspection for all Motor Food Vehicles (MFV) that will be performing business within the city limits. These inspections will be utilizing the 2012 International Fire Code and looking into fuel safety and other items that may pertain.

Inspection Process

Inspections will take place at Boulder Fire Department Headquarters located at 3065 Center Green Drive, Boulder, Co. 80301. To schedule an inspection, a **Mobile Food Vehicle Inspection Application** must be filled out in its entirety and emailed to the fire department. Once the application has been received, the applicant will be contacted to schedule the appointment on Wednesdays or Fridays of each week and not to include any holiday schedules. Please drive around to the North West side of the building and an inspecting officer will come out to meet you. It is important to be prompt due to the busy scheduling.

Inspection with Violations

If violations are found during the initial inspection, a re-inspection will be required to ensure the business has corrected the violations and has become code compliant. A thirty (30) day period will go into effect after the initial inspection to correct all violations. When all violations have been corrected, it is the responsibility of the business to contact the fire department and schedule a re-inspection. If the business fails the re-inspection, a Boulder Fire Inspection Permit will not be issued and the License Division shall be notified.

Permit

Once the MFV has successfully passed the fire inspection, a Boulder Fire Inspection Permit will be issued. A copy of this permit will be emailed to the applicant and the original will be mailed via the US Postal Service. It is important that the information provided on the application reflects the locations that the permit will be delivered to. Issued permits shall be kept on the vehicle at all times and shall be readily available for inspection by the fire department. If at any time the permit is not readily available for inspection, the MFV business will be asked to stop conducting business and the License Division shall be notified.

Liquid Propane Gas (LPG) Cylinders

LPG cylinders are a necessary tool in the MFV business world. These tools can be safely utilized if they are stored, mounted, piped and utilized within the safe parameters of the fire code. The following, are just a few safe parameters of the fire code to adhere to in order to assist with a safe operation in the MFV

business.

- The Maximum Allowable Quantity (MAQ) of liquid propane for an MFV shall be limited to a total of 60 pounds gas capacity. Two 30 pound containers or three 20 pound containers can have a manifold system when the equipment has been approved in advance.
- The LPG cylinders or the manifold system shutoff valves that are designed to stop the supply of fuel from all cylinders shall be clearly marked with a sign "Propane Shutoff Valve". These signs shall be posted with a minimum of 2 inch red lettering with a white background and visible to the public.
- All LPG cylinders shall be secured during transport and must be isolated from the interior or passenger areas. LPG cylinders shall also be kept away from open flames and other heat sources such as generators.
ASME cylinders are generally permanently mounted around the exterior and all appliances are piped outside of the passenger/work area to the bottle. Portable cylinders shall also be isolated from the passenger/work area. They can be securely mounted on the outside or placed in a gastight compartment that prevents vapors from entering the passenger/work area. LPG cylinders shall never be transported or installed inside a vehicle passenger area.
- All LPG cylinders shall be stored in an upright position with the valve end up and be secured to prevent falling caused by contact or vibration. These cylinders shall have their pressure relief devices located as to direct vented vapors away from personnel, ignition sources, containers and structures, as well as enclosed spaces to prevent personal injury and property damage.
- All piping, tubing, pressure regulators and valves shall be kept gas tight to prevent leakage. These said systems shall be on an inspection/maintenance program to ensure that leakage does not occur.
- "No Smoking" signs shall be next to or directly above the propane container(s) and visible to the public. These signs shall be posted with a minimum of 2 inch red lettering with a white background.

Type I Commercial Hood System

The food service business obviously involves cooking equipment operating at high temperatures. This cooking equipment in addition to grease-laden vapors being produced, can lead to a fire within the business and cause severe damage. The following, are just a few safe parameters of the fire code to adhere to in order to assist with a safe operation in the MFV business.

- If a Type I Hood is installed, a restaurant fire suppression system shall be required for all cooking operations that produce grease-laden vapors. These systems can be activated automatically or manually to dispense chemicals to suppress the flames of a fire. Activation of the system not only suppresses the fire but it will automatically shut down the fuel or electric supply to the cooking equipment.
- All restaurant fire suppression systems shall be inspected every **six (6) months** by a licensed contractor. The contractor shall attach an inspection tag to the system and shall also send a copy of the inspection report to Boulder Fire Department. If this report is not received by the fire department in a timely manner, the MFV business will be contacted and be asked to stop conducting business, the License Division shall be notified.

- All restaurant fire suppression systems shall pass the inspection of the licensed contractor. All violations noted of the system, the MFV business shall have thirty (30) days to correct the violations and have the licensed contractor send a report showing code compliance.

Portable Fire Extinguishers

Portable fire extinguishers give the occupants the means to suppress a fire in its incipient (beginning) stage. The capability of this type of manual fire suppression can contribute to the protection of the occupants, especially if there is evacuation difficulties associated with the occupancy or the specific hazard in the area. To be effective, personnel must be properly trained in the use of portable fire extinguishers.

- All MFV's shall be equipped with at least one 2A:20-BC rated fire extinguisher. This fire extinguisher shall be fully charged and inspected by a license contractor on an annual basis.
- The fire extinguisher shall be mounted within 30 feet of commercial type cooking equipment on a hanger, secured and in clear view.
- All MFV's with cooking operations producing grease-laden vapors, a 6L Class K portable fire extinguisher is required instead of the 2A:20-BC rated fire extinguisher. This fire extinguisher shall be fully charged and inspected by a license contractor on an annual basis.
- The 6 L Class K portable fire extinguishers shall be mounted within 30 feet of commercial type cooking equipment on a hanger, secured and in clear view.

Detection Devices

Carbon Monoxide (CO) is a deadly, colorless, odorless, poisonous gas. It is produced by the incomplete burning of various fuels, including coal, wood, charcoal, oil, kerosene, propane and natural gas. Products and equipment powered by internal combustion engines such as portable generators, cars, lawn mowers, and power washers also produce CO. Installation of a CO detector can provide some early detection of this deadly gas. In no way does this substitute for proper use and upkeep of appliances that can produce CO.

Propane and Natural Gas leaks can result in explosive fires when the gas finds an ignition source. Propane or Natural Gas detectors can monitor the levels of these gases present at the sensors. There are detection devices that are designed to go into alarm at less than 25% of the lower explosive levels of natural gas or propane. Installation of these devices can provide some early detection of these flammable gases. In no way do these devices substitute for proper maintenance of all piping, tubing, pressure regulators and valves.

Staff Training

- **Find and use a fire extinguisher appropriately.** An acronym you may find helpful is PAST – Pull out the pin, Aim at the base, make a Sweeping motion, be Ten feet away.
- **Clean up the grease.** Cleaning exhaust hoods is especially important, since grease buildup can restrict air flow. Be sure to also clean walls and work surfaces; ranges, fryers, broilers, grills and convection ovens; vents and filters.

- **Never throw water on a grease fire.** Water tossed into grease will cause grease to splatter, spread and likely erupt into a larger fire.
- **Remove ashes** from wood and charcoal-burning ovens at least once a day.
- **Store flammable liquids properly.** Keep them in their original containers or puncture resistant, tightly sealed containers with labeling. Although a food truck kitchen is very small, you should attempt to store containers in well ventilated areas away from combustible supplies, food, food preparation areas or any source of flames.
- **Tidy up to avoid fire hazards.** Store paper products, linens, boxes and food away from heat and cooking sources. Properly dispose of soiled rags, trash, cardboard boxes and wooden pallets at least once a day.
- **Use chemical solutions properly.** Use chemicals in well ventilated areas, and never mix chemicals unless directions call for mixing. Immediately clean up chemical spills.
- **Prepare an emergency plan.** If a fire breaks out in your food truck, your staff must take control of the situation and all employees must safely exit the vehicle and lead customers to a point safely away from the truck. Ensure your staff knows their exit ways.
- **Be prepared to power down.** Train staff members how to shut off propane and electrical power in case of emergency.

BE SAFE!



BOULDER FIRE-RESCUE

DIVISION OF FIRE SAFETY

Mike Rangel – Assistant Fire Marshal
3065 Center Green Dr.
Boulder, CO 80301
(303) 441-3348

Mobile Food Vehicle Inspection Checklist

Mobile Food Vehicles (MFV's) equipped with a gasoline, diesel or electric generator, propane or compressed natural gas, Type I exhaust hood or fire suppression system, are required to be inspected by the Boulder Fire Department annually. The following is a fire inspection checklist that has been derived from the 2012 International Fire Code to assist you in preparing for your inspection.

Chapter 6 - Building Service and Systems, Commercial Kitchen Hoods 609

- Cooking operation producing grease-laden vapors, those vapors are required to be exhausted through a commercial kitchen exhaust hood and duct system.
- Cooking operation producing grease-laden vapors, the commercial kitchen exhaust hood and duct System is required to have an automatic fire extinguishing system.
- The commercial kitchen exhaust hood and duct System having an automatic fire extinguishing system, requires an inspection by a licensed contractor every 6 months.

Chapter 9 - Fire Protection Systems, Portable Fire Extinguishers 906

- All cooking vendors are required to have at least one 2A:20-B:C rated fire extinguisher.
- The fire extinguisher is fully charged (gauge indicates Full).
- The fire extinguisher has had an annual inspection conducted by a licensed contractor.
- The fire extinguisher is located within 30 feet of commercial type cooking equipment.
- The fire extinguisher is mounted on a hanger, secured and in clear view.
- Cooking operations producing grease-laden vapors, an additional 6L Class K portable fire extinguisher is required.
- The 6L Class K fire extinguisher is fully charged (gauge indicates Full).
- The 6L Class K fire extinguisher has had an annual inspection conducted by a licensed contractor.
- The 6L Class K fire extinguisher is located within 30 feet of commercial type cooking equipment.
- The 6L Class K fire extinguisher is mounted on a hanger, secured and clear view.

Chapter 10 – Means of Egress, General Means of Egress 1003

- Protruding objects are not to reduce the minimum clear width of accessible egress routes.
- Walking surfaces of the egress route are to have a slip resistant surface and be securely attached.

Chapter 10 – Means of Egress, Maintenance of The Means of Egress 1030

- Means of Egress (aisle way) is to be free of any obstructions that would prevent its use.

Chapter 53 – Compressed Gases, General Requirements 5303

- All compressed gas containers are required to have their pressure relief devices located so as to direct vented vapors away from personnel, ignition sources, containers and structures, as well as enclosed spaces to prevent personal injury and property damage.
- Pressure relief devices or vent piping is to be designed or located so that moisture cannot collect and freeze in a manner that would interfere with the operation of the device.
- Compressed gas containers must be labeled (CGA C-7 Standards) with the name of the gas it contains to include the correct color label. These labels are to be visible at all times.
- All compressed gas containers are secured to prevent falling caused by contact or vibration. This is done by tightly securing the containers to a fixed object, nesting or within a rack designed for such use.

Chapter 53 – Compressed Gases, Storage of Compressed Gases 5304

- All compressed gas containers are to be stored in an upright position with the valve end up.

Chapter 53 – Compressed Gases, Use and Handling of Compressed Gases 5305

- Piping, tubing, pressure regulators and valves shall be kept gas tight to prevent leakage.
- Required shutoff valves on compressed gas systems must not be removed or altered and must be accessible at all times.

Chapter 61 – Liquefied Petroleum Gases, Installation of Equipment 6103

- Portable LP-gas containers are not allowed to be used or stored within the structure or vehicle. Vehicle. Portable LP-gas containers may be stored in a special transport area with wall separation from the interior or passenger area..

Chapter 61 – Liquefied Petroleum Gases, Safety Precautions and Devices 6107

- Safety devices on LP-gas containers are not to be tampered with or made ineffective.
- “No Smoking” signs are to be next to or directly above the propane container(s) and visible to the public. These signs shall be posted with a minimum of 2 inch red lettering with a white background.

2015 NFPA 1192 Standards, Carbon Monoxide (CO) Alarms 6.4.6

- Mobile Food Vehicles are to be equipped with a working carbon monoxide (CO) detector. This device is to be listed and marked as being suitable for use in recreational vehicles under the requirements of ANSUL/UL 2034 or CSA 6.19 and installed to according to the terms of its listing.

2015 NFPA 1192 Standards, Propane Detectors 6.4.8

- Mobile Food Vehicles that are equipped with a propane appliance and an electrical system, are to be equipped with a propane detector. This device is to be listed and device is to be listed and marked as being suitable for use in recreational vehicles under the requirements of ANSUL/UL 1484 and installed to according to the terms of its listing.
- Vehicles that contain a special transport area with wall separation from the interior or passenger areas, the required propane detector is to be located outside the special transportation area and in interior or passenger area.

**** Does the Boulder Fire Department fire code inspection cover only the items on this Checklist?**

This checklist only covers some of the most common concerns with mobile food vendors, but additional codes within the 2012 International Fire Code or the 2015 NFPA Standards are subject to inspection. This checklist does not include Health Department, Building Department, Licensing or State vehicle and trailer inspection and safety regulations.

