

SIDEWALK RAMP TYPE 1A



SIDEWALK RAMP TYPE 1B



SIDEWALK RAMP TYPE 1C



SIDEWALK RAMP TYPE 1D



SECTION A–A



SECTION B–B



SECTION C–C

NOTES

1. DRAINAGE STRUCTURES, TRAFFIC SIGNAL EQUIPMENT, JUNCTION BOXES, AND OTHER OBSTRUCTIONS SHOULD NOT BE PLACED IN FRONT OF THE RAMP ACCESS AREAS.
2. RAMP SLOPES SHALL BE 12:1 OR FLATTER. THE DETECTABLE WARNING AND WELL AREA SLOPES SHALL BE 20:1 OR FLATTER.



RAMP PAY AREA

FOR SIDEWALK RAMP TYPES 1A, 1B, 1C, 1D.



RAMP DETAIL

FOR SIDEWALK RAMP TYPES 1B, 1C, 1D.



ISOMETRIC VIEW

Computer File Information		Sheet Revisions	
Creation Date: 07/04/06	Initials: SJR	Date:	Comments
Last Modification Date: 07/04/06	Initials: LTA	(R-X)	
Full Path: www.dot.state.co.us/DesignSupport/		(R-X)	
Drawing File Name: 608010204.dwg		(R-X)	
CAD Ver.: MicroStation V8 Scale: Not to Scale Units: English		(R-X)	

Colorado Department of Transportation
4201 East Arkansas Avenue
Denver, Colorado 80222
Phone: (303) 757-9083
Fax: (303) 757-9820
Project Development Branch SRJ/LTA

CURB RAMPS

Issued By: Project Development Branch on July 04, 2006

STANDARD PLAN NO.

M-608-1