

**RAPID RESOURCE ASSESSMENT
AND MANAGEMENT PLAN
KINEMAN OPEN SPACE
BOULDER COUNTY, COLORADO**

Prepared for—

City of Boulder
Open Space and Mountain Parks
66 S. Cherryvale Road
Boulder, Colorado 80303

Prepared by—

ERO Resources Corporation
1842 Clarkson Street
Denver, Colorado 80218
(303) 830-1188

ERO Project #4089

August 11, 2008

CONTENTS

Summary	1
General Description of Site Resources	1
Open Space Values Based on Resource Assessment.....	1
Management Issues Based on Resource Assessment	1
Introduction	2
Purpose.....	2
Methods	2
Report Organization.....	2
General Description.....	3
Location and Access	3
Acquisition.....	3
Land Use	3
Landscape Context.....	3
Neighboring Properties	4
Site Resources	4
Topography	4
Geology.....	5
Hydrology	5
Vegetation	5
Forest Condition	8
Wildlife	9
Cultural Resources	9
Recreation	10
Property Infrastructure	10
Legal Considerations	10
Property Management Plan	11
Management Area Designation.....	11
Public Access.....	11
Management Issues.....	11
Management Strategies.....	12

TABLES

Table 1. Noxious weeds present on the property.....	7
Table 2. Common characteristics of conifer species on the property.....	8

FIGURES

- Figure 1. Vicinity
- Figure 2. Property Location
- Figure 3. Property Features
- Figure 4. Soils
- Figure 5. Vegetation Communities

APPENDICES

- Appendix A: Photo Point Map and Photo Documentation
- Appendix B: Plant Species
- Appendix C: References

SUMMARY

KINEMAN PROPERTY		
APPROXIMATE SIZE	ACQUISITION DATE	CURRENT ZONING
32 acres	July 2, 2007	Forestry
MANAGEMENT DESIGNATION	PUBLIC ACCESS	
Habitat Conservation Area	Access only with HCA off-trail permit	

GENERAL DESCRIPTION OF SITE RESOURCES

The property encompasses about 32 acres characterized by forested slopes, including a ponderosa pine savannah. A ravine dominated by quaking aspen and Douglas fir traverses the southern two thirds of the property.

OPEN SPACE VALUES BASED ON RESOURCE ASSESSMENT

The property is important for open space because it maintains—

- Contiguous forested habitat within the Boulder Mountain Park system
- Winter range for mule deer; winter range and severe winter range for elk
- A winter concentration area for wild turkey
- Diverse songbird habitat within a shallow ravine

MANAGEMENT ISSUES BASED ON RESOURCE ASSESSMENT

Some management issues that could adversely affect the open space values on the property include—

- Fire hazard due to current and future fuel loading
- Noxious weed infestations
- Potential dumping and/or unauthorized access

INTRODUCTION

PURPOSE

The City of Boulder Open Space and Mountain Parks Department (OSMP) retained ERO Resources Corporation (ERO) to conduct a rapid resource assessment and develop a property management plan for the 32-acre tract of land known as the Kineman Property (“property”) near the City of Boulder in Boulder County, Colorado (Figure 1). The conditions on the property have generally been documented through photo points (Appendix A). The purpose of this rapid resource assessment and management plan for the property is to—

- Summarize the physical/ecological characteristics and conditions
- Document and record existing conditions and open space values
- Identify and prioritize management needs and opportunities
- Prescribe management actions
- Classify the property into a management area

The OSMP Visitor Master Plan directs that plans be completed for properties before they are opened and that visitor access be considered. Specific guidance for new properties is as follows:

New Property Planning and Facilities. Complete planning and infrastructure improvements in a timely manner, prior to opening newly acquired properties to public access. However, as appropriate, preserve existing public access during the planning and improvement process. Open Space and Mountain Parks will complete a site management plan recommending appropriate locations, types of uses and visitor infrastructure, and how to provide adequate visitor infrastructure and services.

Property plans direct immediate planning and improvement needs, while Trails Study Areas (TSA) planning will be used to periodically update visitor access needs based on conditions at the time.

METHODS

OSMP supplied records, documents, and GIS data applicable to the property. On June 20, 2008, a team of natural resource planners and ecologists from ERO walked the extent of the property documenting ecological and physical characteristics and identifying management needs and opportunities.

ERO consulted several organizations, agencies, and databases including the Colorado Natural Heritage Program (CNHP), Colorado Office of Archeology and Historic Preservation (OAHP), the Colorado Natural Diversity Information Source (NDIS), and Boulder County pertaining to resources on the property. Published information, such as U.S. Geological Survey (USGS) and Natural Resources Conservation Service (NRCS) maps, also was used to prepare the inventory.

REPORT ORGANIZATION

This report presents a summary of the information gathered for the rapid resource assessment and describes the results of ERO's evaluation of the resources and open space values on the property.

The report is organized into five narrative sections and three appendices. Following the *Summary* and *Introduction*, the *General Description* section provides information on the setting. The *Site Resources* section summarizes the ecological and cultural resources; existing trails and access; land use and management; and improvements and legal considerations on the property. The *Property Management Plan* describes short- and long-term management needs, management actions, and Management Area designation.

Appendix A contains photographs of the property with narrative descriptions and a corresponding photo point map. Appendix B presents plant species identified during the site visit, and Appendix C includes report references.

GENERAL DESCRIPTION

The property is located within the Southern Rocky Mountain physiographic province. The property encompasses about 32 acres characterized by forested slopes, including a ponderosa pine savannah. A shallow ravine dominated by quaking aspen and Douglas fir occurs within the southeastern quarter of the property.

LOCATION AND ACCESS

The property is located in south Boulder County about 4 miles southwest of downtown Boulder (Figure 1). Specifically, the property is located in Sections 14 and 15 in Township 1 South, Range 71 West of the 6th P.M. (Figure 2).

Primary access is from Bison Drive along the southeast corner of the property. From downtown Boulder travel west on Baseline Road to Flagstaff Road. Follow Flagstaff Road for about 5 miles to Bison Drive. Turn left (south) on Bison Drive and travel about 3 miles to the property. Both maintenance and emergency access are possible from the southeast corner of the property and on the north side from the private driveway on the east side of the property.

ACQUISITION

The City of Boulder acquired the Kineman Property on July 2, 2007. The total price for the 32-acre parcel and a 33-acre conservation easement was \$450,000 (Fee: \$410,000; Conservation easement \$40,000).

LAND USE

The property was previously logged and likely grazed to some extent. OSMP manages the property as undeveloped open space land. There is currently no active management.

LANDSCAPE CONTEXT

The property is located in rural Boulder County, and is generally bordered on all sides by rural residential development, some of which is covered by a conservation easement held by OSMP. Woods Gulch is about ¼ mile to the west of the property; Harmon Gulch is about ¼ mile to the east.

NEIGHBORING PROPERTIES

RESIDENTIAL PROPERTIES

Residential properties and basic land uses identified near the property during the site visit and with a property record search available through the Boulder County Assessor’s Office (Boulder County 2008a) are summarized below.

OWNER	LOCATION AND LAND USE
Tombolato, Michael & Ranniger, Leslie J. 1581 Bison Dr. PO Box 15; Boulder, CO 80306-0015 Parcel No. 157900100011	North of property Forest land – farm/rural residence
Kineman, John J. & Patricia B 1101 Bison Dr. Boulder, CO 80302-9526 Parcel No. 157900100038	East of property Single family rural residence Conservation Easement held by OSMP
Hart, George & Clare. 800 Bison Dr. Boulder, CO 80302 Parcel No. 157900100007	South of property Single family rural residence
Nicolaisen, Thomas Roger & Helena 1406 Pika Rd. Boulder, CO 80302 Parcel No. 157915001002	West of property Single family rural residence
Vanini, Marc A. & Jennifer C. 1308 Pika Rd. Boulder, CO 80302 Parcel No. 157915001003	West of property Single family rural residence
Davis, Mary Ann & Robert B. 1232 Pika Rd. 2035 4 th St.; Boulder, CO 80302 Parcel No. 157915004001	Southwest of property Vacant residential lots

SITE RESOURCES

This section documents in more detail the basic physical and ecological characteristics and conditions that directly support the open space values of the property. Key features are shown on Figure 3.

TOPOGRAPHY

Topography on the property generally slopes south to the southwest. The property encompasses a shallow ravine with elevations ranging from about 7,200 feet along the side slopes to about 7,170 feet in the ravine basin. The USGS topographical map of the property is shown in Figure 2.

GEOLOGY

The property occurs along the eastern margin of the Front Range of north-central Colorado, which contains igneous rocks of Precambrian age. The area is composed primarily of granitic rocks. Granitic rocks contain areas of granites, quartz monzonites, and unnamed granitic rocks (Tweto 1979).

SOILS

The Natural Resources Conservation Service (NRCS) has mapped two soil types on the property. Each mapping unit is described below and Figure 4 shows the NRCS soil mapping. All soil information was gathered from the NRCS soil survey (NRCS 1975).

Mapping Unit FcF. Fern Cliff-Allens Park-Rock outcrop complex (15 to 60 percent slopes). This soil includes small areas of Fern Cliff stony loam sand, Juget soils, Peyton soils, and narrow bands of alluvial soils along drainageways. Runoff is medium to rapid and the erosion hazard is high. Native vegetation is mainly pine and fir woodland with an understory of fescue, mountain muhly, and pine dropseed.

Mapping Unit JrF. Juget-Rock outcrop (9 to 55 percent slopes). This soil includes small areas of Peyton soils near drainageways and a few small areas of Allens Park soils. Runoff is high and the erosion hazard is high. Native vegetation consists of spruce and fir at higher elevations and ponderosa pine, Gambel oak, mountain mahogany, and grasses at lower elevations.

HYDROLOGY

SURFACE HYDROLOGY

No mapped streams or drainages are located on the property. The property is not located within a designated floodplain area. According to topographic information from the USGS 7.5 minute quadrangle map, surface waters flow towards the ravine located on the property and southwest towards Woods Gulch (USGS 1965, revised 1994).

SUBSURFACE HYDROLOGY

Based on a review of the USGS Eldorado Springs Quadrangle, shallow ground water would flow in a southerly direction towards the South Boulder Creek Drainage (USGS 1965, revised 1994). There is one permitted water well on the property (CDWR 2008), which is described below under *Water Rights*. No seeps or springs were identified on the property.

WETLANDS

No wetlands or potential wetlands were observed on the property.

VEGETATION

GENERAL VEGETATION DESCRIPTION

The property has steep slopes and valleys and is dominated by a ponderosa pine woodland alliance, a quaking aspen – Douglas fir woodland alliance, Douglas fir forest alliance, ponderosa pine – Douglas fir forest alliance and a ponderosa pine temporarily flooded woodland alliance. Vegetation communities are described below and shown in Figure 5. A list of plant species identified during the field visit appears in Appendix B.

PONDEROSA PINE WOODLAND ALLIANCE (PPW)

The northern half of the property is dominated by a ponderosa pine wooded mixed herbaceous alliance. The dominant overstory species in this community type is ponderosa pine (*Pinus ponderosa* ssp. *scopulorum*). Dominant understory species include introduced grasses such as smooth brome (*Bromopsis inermis*), cereal rye (*Secale cereale*), cheatgrass (*Anisantha tectorum*), and orchard grass (*Dactylis glomerata*); native perennial forbs such as little sunflower (*Helianthus pumilus*), Rocky Mountain penstemon (*Penstemon strictus*), and pale bastard toadflax (*Comandra umbellata* ssp. *pallida*); native grasses such mountain brome (*Ceratochloa carinata*), needle and thread (*Hesperostipa comata*), green needlegrass (*Nassella viridula*) and mountain muhly (*Muhlenbergia montana*); and native shrubs/subshrubs such as black chokecherry (*Padus virginiana* ssp. *scopulorum*) and fringed sage (*Artemisia frigida*).

QUAKING ASPEN – DOUGLAS FIR WOODLAND ALLIANCE (QADF)

In the central section of the property in the shaded slopes a quaking aspen – Douglas fir woodland is present. This community type is dominated by Douglas fir and quaking aspen (*Populus tremuloides*). Common understory species include native shrubs such as grayleaf red raspberry (*Rubus idaeus* ssp. *melanolasius*), Wood's rose (*Rosa woodsii*), and wax currant (*Ribes cereum*). Native grasses such as mountain brome and slender wheatgrass (*Elymus trachycaulus*) dominant the understory.

DOUGLAS FIR FOREST ALLIANCE (DFF)

In the southern portion of the property along north and west facing slopes, the Douglas fir forest alliance is present. This community type is dominated by Douglas fir. Common understory species include native forbs such as Britton's skullcap (*Scutellaria brittonii*), prairie bluebells (*Mertensia lanceolata*), and maiden blue eyed Mary (*Collinsia parviflora*). Native grass or grass like plants included Geyer's sedge (*Carex geyeri*) and muttongrass (*Poa fendleriana*). Native shrubs such as kinnikinnick (*Arctostaphylos uva-ursi*) are common.

PONDEROSA PINE – DOUGLAS FIR FOREST ALLIANCE (PDFF)

In the eastern portion of the property and on west facing slopes, a ponderosa pine – Douglas fir forest alliance is present. The dominant overstory species in this community type are ponderosa pine, Rocky Mountain juniper (*Sabina scopulorum*), and Douglas fir. Dominant understory species include introduced grasses such as smooth brome, cheatgrass, and orchard grass; native perennial forbs such as little sunflower, Rocky Mountain penstemon, and pale bastard toadflax; native grasses such mountain brome, needle and thread, green needlegrass and mountain muhly; and native shrubs/subshrubs such as black chokecherry and fringed sage.

PONDEROSA PINE TEMPORARILY FLOODED WOODLAND ALLIANCE (PTW)

In the central portion of the property a ponderosa pine temporarily flooded woodland alliance is present. This community types is dominated by ponderosa pine but understory species include species found in moist shaded communities. Dominant understory species include grayleaf red raspberry, prickly currant (*Rives lacustre*), and Wood's rose.

RARE PLANTS AND PLANT COMMUNITIES

No rare plants or plant communities have been identified by CNHP on the property (CNHP 2006) and none were observed during the site visits.

STATE NOXIOUS WEEDS

Based on the site visits, no species from List A of the Colorado noxious weed species list were found on the property – four List B noxious weed species occur on the property: Canada thistle (*Cirsium arvense*), Dalmatian toadflax (*Linaria genistifolia* ssp. *dalmatica*), houndstongue (*Cynoglossum officinale*), and redstem stork’s bill (*Erodium cicutarium*). Canada thistle occurs in moist areas in the central portion of the property in low densities. Dalmatian toadflax is found in two patches in the central portion of the property in low to medium densities. Houndstongue is found in low densities throughout the property. Frequent occurrences occur in the quaking aspen – Douglas-fir alliance. Redstem stork’s bill occurs in low densities scattered in the upland areas in the western section of the property.

Three List C noxious weed species were found on the property – field bindweed (*Convolvulus arvensis*), cheatgrass (*Anisantha tectorum*), and common mullein (*Verbascum thapsus*). Field bindweed was found in low densities scattered throughout the upland areas. Common mullein and cheatgrass was found scattered throughout the property in low densities. Smooth brome is not a state noxious weed but is considered an OSMP priority weed. Smooth brome is dominant species in upland areas throughout the property.

Table 1. Noxious weeds present on the property.

Common Name	Scientific Name	OSMP Priority	Boulder County Weed List	State of Colorado Noxious Weed List
Canada thistle	<i>Breca arvensis</i>	Moderate	x	B
cheatgrass	<i>Anisantha tectorum</i>	Moderate	not listed	C
common mullein	<i>Verbascum thapsus</i>	None	not listed	C
Dalmatian toadflax	<i>Linaria genistifolia</i> ssp. <i>dalmatica</i>	Moderate	x	B
field bindweed	<i>Convolvulus arvensis</i>	None	not listed	C
houndstongue	<i>Cynoglossum officinale</i>	Low	x	B
redstem stork’s bill	<i>Erodium cicutarium</i>	None	not listed	B
smooth brome	<i>Bromopsis inermis</i>	Moderate	not listed	not listed

The Colorado Noxious Weed Act §§ 35-5.5-101 through 119, C.R.S. (2003) states that “List A species are species for which the Commissioner of Agriculture has designated for eradication. List B noxious weed species are species for which the Commissioner of Agriculture, in consultation with the state noxious weed advisory committee, local governments, and other interested parties, develops and implements state noxious weed management plans designed to stop the continued spread of these species.

List C weed species are species for which the Commissioner, in consultation with the state noxious weed advisory committee, local governments, and other interested parties, will develop and implement state noxious weed management plans designed to support the efforts of local governing bodies to facilitate more effective integrated weed management on private and public lands. The goal of such plans will not be to stop the continued spread of these species but to provide additional education, research, and biological control resources to jurisdictions that choose to require management of List C species.”

FOREST CONDITION

The two most common conifer species on the property are ponderosa pine and Douglas-fir. Some lodgepole pine is also present. Each of these species has different characteristics for management consideration summarized in Table 2. During the site visit, stridulations (i.e., noises made by insects rubbing body parts together) were evident and may indicate a mountain pine beetle infestation. Some dead individual trees were noted; however, overall forest condition did not indicate mountain pine beetle activity.

The dense ponderosa pine/Douglas-fir forest that dominates the southeastern corner of the property is likely the result of long-term fires suppression. The high, contiguous canopy along with significant fuel loading (e.g., ladder fuels and down material) make the area a severe wildfire hazard. Other areas on the property are characterized by ponderosa pine savannah and have a low to moderate wildfire hazard.

Table 2. Common characteristics of conifer species on the property.

Characteristic	Ponderosa Pine	Lodgepole Pine	Douglas-fir
Drought tolerance	High	Moderate	Moderate
Reaction to competition	Intolerant of shade	Very intolerant of shade and competition from other plant species	Ability to tolerate shade in the seedling stage, intermediate in overall shade tolerance
Susceptibility to windthrow	Low	Moderate — thinning can contribute to snow breakage, particularly if previously dense stands are opened suddenly	Low to moderate
Resistance to fire	High for mature trees in open woodlands due to thick bark	Low with entire stands replaced and 100 percent mortality at times	Crown fires, when they occur, destroy stands of all ages; the thick bark of older Douglas-firs, however, makes them fairly resistant to ground fires
Fire interval (presettlement)	1 to 47 years apart with most at 5- to 20-year intervals	100 or more years	Intermediate between ponderosa pine and lodgepole pine based on stand structure and composition
Typical fire intensity (presettlement)	Low intensity ground fires	High intensity crown fires	Variable, low intensity ground fires in association with ponderosa pine, higher intensities elsewhere
Primary insect pathogens	Mountain pine beetle (<i>Dendroctonus ponderosa</i>)	Mountain pine beetle (<i>Dendroctonus ponderosa</i>)	Douglas-fir beetle (<i>Dendroctonus pseudotsugae</i>) and western spruce budworm (<i>Choristoneura occidentalis</i>)
Dwarf mistletoe	<i>Arceuthobium vaginatum</i> subsp. <i>crpyopodum</i> in the Southwest	<i>Arceuthobium americanum</i> is the most widespread and serious parasite affecting lodgepole pine	<i>Arceuthobium douglassii</i> occurs throughout most of the range of Douglas-fir

Based on: Burns, Russell M., and Barbara H. Honkala (tech. cords.). 1990. *Silvics of North America: 1. Conifers.* Agriculture Handbook 654. U.S. Department.

WILDLIFE

GENERAL DESCRIPTION

The property provides habitat for a variety of wildlife species that are typical of the forested system in the Boulder Mountain Park system. Notable mammal species that are likely to occur include black bear, mountain lion, elk, mule deer, fox, bobcat, and coyote. During the site visit, sign (i.e., scat and game trails) from elk and mule deer was observed throughout the property. The property contains habitat elements for black bear, including dense forest cover, berry-producing shrubs, riparian habitat, and rock bands and outcrops that provide potential denning sites. The shallow ravine on the property is likely a concentration point and movement corridor for bears in the area. It is likely that most of the property is widely traversed by bears. Other common mammals include mountain cottontail rabbit, western spotted skunk, raccoon, Abert's squirrel, and least chipmunk.

The dense forests and open meadow on the property provides habitat for a variety of migratory songbirds such as mountain bluebird, Stellar's jay, and evening grosbeak. Common raptors potentially include sharp-shinned hawk and flammulated owl. The property also supports potential habitat for the northern goshawk, which characteristically nests in coniferous forests including those dominated by ponderosa pine or lodgepole pine or in mixed forests dominated by various coniferous species. Bird species observed during the site visit included several Stellar's jays and broad-tailed hummingbirds.

THREATENED, ENDANGERED, OR CANDIDATE WILDLIFE SPECIES

According to the Colorado Division of Wildlife Natural Diversity Information Source (NDIS) and CNHP databases for the area, there are no threatened or endangered species on the property (NDIS 2008).

COLORADO DIVISION OF WILDLIFE DESIGNATIONS

According to the NDIS database, the property is considered to be elk winter and elk severe winter range; mule deer winter range; a black bear-human conflict area; and turkey winter range and a turkey winter concentration area.

BOULDER COUNTY COMPREHENSIVE PLAN DESIGNATIONS

The property does not contain any county-designated Critical Wildlife Habitats or other designations related to wildlife.

CULTURAL RESOURCES

OFFICE OF ARCHAEOLOGY AND HISTORIC PRESERVATION FILE SEARCH

The Colorado Historical Society Office of Archaeology and Historic Preservation conducted a search of the Colorado Inventory of Cultural Resources database for the property (OAHF 2008). This database contains information on documented federal or state studies or findings regarding any cultural resources. According to the search, no sites or surveys occur on the property (OAHF 2008). Other potential unidentified cultural resources may exist within the property boundaries.

OTHER RESOURCES AND DESIGNATIONS

No structures exist on the property. The property is not located within any areas designated for cultural resources in the Boulder County Comprehensive Plan (Boulder County 2008b).

RECREATION

Public access is not permitted on the property.

PROPERTY INFRASTRUCTURE

STRUCTURES

No structures exist on the property.

INFRASTRUCTURE AND UTILITIES

No fencing or utilities were observed on the property. A few “entryways” occur on the north side of the property. These were likely installed to promote real estate sales.

ROADWAYS AND TRAILS

An old road bed is evident along the southeast corner of the property parallel to Bison Drive.

LEGAL CONSIDERATIONS

WATER RIGHTS

Purchase of the property did not include any water rights.

According to the Colorado Division of Water Resources (CDWR 2008), there is one permitted water well on the property:

- Permitted domestic well, permit #113205

MINERAL RIGHTS

Purchase of the 32 acres included all mineral rights including sand, gravel, coal, and oil and gas owned by seller.

EASEMENTS AND RIGHTS-OF-WAY INFORMATION

See OSMP property file.

LOCAL PLANNING DESIGNATIONS

The entire property is currently zoned Forestry (Boulder County 2008c). Boulder County Comprehensive Plan designations on the property include—

- Boulder Mountain Park/South Boulder Environmental Conservation Area

The property is also considered to have moderate geologic constraints due to the potential for flash flooding or debris fans.

PROPERTY MANAGEMENT PLAN

MANAGEMENT AREA DESIGNATION

Recommended management area designation: Habitat Conservation Area

The location and features of the property are generally consistent with the characteristics, goals, and strategies outlined for Habitat Conservation Areas in the OSMP Visitor Master Plan, including naturally functioning ecosystems, lower levels of visitor use opportunities, and compatibility with adjacent land uses (OSMP 2005). This management area designation is consistent with the historic and current uses of the property and its primary open space values, and with the management designation of other nearby OSMP properties.

PUBLIC ACCESS

Recommended status: Access only with HCA off-trail permit.

There is no evidence of unauthorized use of the property. A camper shell was observed near the property on the north side.

The goal of this access status is to allow off-trail use by permit only, consistent with existing regulations for Habitat Conservation Areas. Off-trail permits can be obtained for OSMP-sponsored activities or other limited and approved public use. Use of designated trails is allowed without a permit. Should permitted or non-permitted public access result in a Class 2 undesignated trail (trail obvious; vegetation cover lost and/or organic litter pulverized in primary use area – see Manning et al. 2006) or other resource damage, the property may be closed at the sole discretion of the OSMP department. External gates will be locked to prevent unauthorized vehicle access. Public access and facilities on this property will be evaluated further in a future Trail Study Area or other planning processes.

MANAGEMENT ISSUES

The following management issues were identified on the property based on observations during the site visit, existing documentation, and input from OSMP staff.

Potential Dumping and/or Unauthorized Access. The topography of the property adjacent to Bison Drive provides easy access for either dumping or unauthorized use.

Noxious Weeds. Several patches of List B species are scattered throughout the property.

Forest Condition. The forested area that dominates the southeastern quarter of the property is overgrown due to fire suppression and historic management with some trees stressed. These trees may be susceptible to future beetle attacks.

Wildfire Hazard. Current and future fuel loading make the area susceptible to wildfire.

MANAGEMENT STRATEGIES

Management objectives and recommended management actions for various resources on the property are outlined below. In general, management objectives are a concise statement of what OSMP wants to achieve in protecting open space values, addressing management issues related to a particular resource type. Management actions are the specific tasks or tools that can be used to fulfill the objective and address the issue.

PROPERTY SIGNING

Objective 1: Identify property as OSMP land through clear and defined signing of the property boundary.

Action: Install OSMP signs along property boundary.

ACCESS

Objective 1: Monitor potential unauthorized access.

Action: Contact adjacent landowners to assist with unauthorized access monitoring.

Action: Monitor southeastern corner of property adjacent to Bison Drive to identify issues.

Action: Investigate camper shell on north side of property. Take action as necessary.

VEGETATION

Objective 1: Prevent the spread of noxious weeds from current conditions documented in the resource assessment.

Action: Coordinate with landowners and Boulder County to address weed management along Bison Drive.

Action: Consider herbicide spraying for patches of List B species.

FOREST CONDITION

Objective 1: Where access is feasible, improve forest condition by managing ecosystems and age structure.

Action: Conduct a complete assessment of overall forest conditions through a forest inventory and survey.

Action: Implement prescriptions based on the results of the inventory and survey.

Objective 2: Where access is feasible, maintain an open forest through some initial thinning, prescribed burning, and disease inspection.

Action: Focus on removing the heavy regeneration and breaking up the continuous canopy fuels on the southeastern quarter of the property.

Action: Remove ladder fuels.

Action: Monitor forest stand structure and composition with permanent photo points and overstory inventories.

CONSERVATION AND COORDINATION


Objective 1: Work with adjacent landowners to provide consistent, sustainable management to the area accessed by Bison Drive.

Action: Establish and maintain lines of communication with adjacent landowners.

Action: Monitor resource conditions (e.g., noxious weeds, bear-human conflicts) on adjacent properties and identify potential issues or opportunities.

Action: Allow OSMP to become a resource for landowners seeking knowledge or advice on various land management topics.

FIGURES



ERO Resources Corp.
 1842 Clarkson Street
 Denver, CO 80218
 (303) 830-1188
 Fax: (303) 830-1199

Kineman Property RRA and Management Plan

- Kineman Property
- City of Boulder Open Space
- Other Open Space




1 inch = 2 miles



**Figure 1
 Vicinity Map**

Prepared for: City of Boulder Open Space
 and Mountain Parks
 File: 4089 Figure1.mxd
 March 2008




ERO Resources Corp.
 1842 Clarkson Street
 Denver, CO 80218
 (303) 830-1188
 Fax: (303) 830-1199

Kineman Property RRA and Management Plan
 Sections 14 & 15, T1S, R71W
 UTM NAD83 Coordinate Zone 13N; 472528mE, 4423583mN
 USGS Eldorado Springs CO, Quadrangle
 Boulder County, Colorado



Figure 2
Location

Prepared for: City of Boulder Open Space
 and Mountain Parks
 File: 4089 Figure 2.mxd
 February 2008



ERO Resources Corp.
 1842 Clarkson Street
 Denver, CO 80218
 (303) 830-1188
 Fax: (303) 830-1199

Kineman Property RRA and Management Plan

- City of Boulder Open Space
- Other Open Space




1 inch = 300 Feet



**Figure 3
 Property Features**

Prepared for: City of Boulder Open Space
 and Mountain Parks
 File: 4089 Figure 3 Kineman.pdf
 July 2008



ERO
 ERO Resources Corp.
 1842 Clarkson Street
 Denver, CO 80218
 (303) 830-1188
 Fax: (303) 830-1199

Kineman Property RRA and Management Plan

0 300 600 Feet

1 inch = 300 Feet

N

**Figure 4
 Soils**

Prepared for: City of Boulder Open Space
 and Mountain Parks
 File: 4089 Figure 4.mxd
 February 2008



ERO Resources Corp.
 1842 Clarkson Street
 Denver, CO 80218
 (303) 830-1188
 Fax: (303) 830-1199

Kineman Property RRA and Management Plan
 (See following page for for vegetation community names)



1 inch = 300 Feet



Figure 5
Vegetation Communities


Prepared for: City of Boulder Open Space
 and Mountain Parks
 File: 4089 Figure 5.mxd
 June 2008

Vegetation Communities

Acronym, CmnName

	ADUD, Annual-dominant Upland Disturbance
	APS, American Plum Shrubland Alliance
	BBYH, Big Bluestem - (Yellow Indiangrass) Herbaceous Alliance
	BRSB, Baltic Rush Seasonally Flooded Herbaceous Alliance
	CFSH, Clustered Field Sedge Seasonally Flooded Herbaceous Alliance
	CHSH, Cattail Herbaceous Semipermanently Flooded Alliance
	CTH, Canada Thistle Weedy Forb Great Plains Herbaceous Vegetation [Provisional]
	CWH, Crested Wheatgrass Semi-Natural Herbaceous Alliance
	CWTS, (Coyote Willow, Sandbar Willow) Temporarily Flooded Shrubland Alliance
	CWW, Crack Willow (introduced) Temporarily Flooded Woodland Alliance
	DCAP, Disturbed Cultivated Agricultural Pasture
	DEV, Developed
	DFF, Douglas Fir Forest Alliance
	DFW, Douglas-fir Woodland Alliance
	ECTW, Eastern Cottonwood Temporarily Flooded Woodland Alliance
	ESSH, Emory Sedge Seasonally Flooded Herbaceous Alliance
	ETCW, Eastern Cottonwood Temporarily Flooded Woodland Alliance
	FBH, Foxtail Barley Temporarily Flooded Herbaceous Alliance
	FH, (Tall Fescue, Meadow Fescue) Herbaceous Alliance
	FSBH, Fourwing Saltbush Herbaceous Alliance
	GAH, Cultivated Alfalfa / Smooth Bromegrass Hay
	GH, Cultivated Grass Hay
	IC, Irrigated Cropland
	ISAP, Introduced Species Agricultural Pasture
	KBH, Kentucky Bluegrass Semi-Natural Herbaceous Alliance
	NNH, New Mexico Needlegrass Herbaceous Alliance
	NSH, Nebraska Sedge Seasonally Flooded Herbaceous Alliance
	NTH, Needle-and-Thread - Blue Grama Herbaceous Alliance
	OT, Ornamental Trees
	PDFF, Ponderosa Pine - Douglas-fir Forest Alliance
	PDFW, Ponderosa Pine - Douglas-fir Woodland Alliance
	PFDC, Perennial Forb Disturbance Community
	PMTH, Ponderosa Pine Wooded Mixed Herbaceous Alliance (Savannah)
	PPF, Ponderosa Pine Forest Alliance
	PPW, Ponderosa Pine Woodland Alliance
	PTSH, Ponderosa Pine Tallgrass Savannah Herbaceous Alliance
	PTW, Ponderosa Pine Temporarily Flooded Woodland Alliance
	QADF, Quaking Aspen - Douglas-fir Forest Alliance
	ROW, Russian Olive Semi-Natural Woodland Alliance
	SBH, Smooth Bromegrass Semi-Natural Herbaceous Alliance
	SDS, Snakeweed Dwarf-shrubland Alliance
	SKBH, Sun Sedge-Agassiz Kentucky Bluegrass Herbaceous
	SYS, Soapweed Yucca Evergreen Shrubland
	SYSH, Soapweed Yucca Shrub Savannah Herbaceous Alliance
	THA, Threesquare Herbaceous Alliance
	TSIS, Ill-scented Sumac Intermittently Flooded Shrubland Alliance
	TSSH, Three-leaved Sumac Shrub Savannah Herbaceous Alliance
	TSUS, Three-leaved Sumac Upland Shrubland Alliance
	WATER, Water
	WBSS, Water Birch Seasonally Flooded Shrubland Alliance
	WTFH, Western Wheatgrass Temporarily Flooded Herbaceous Alliance
	WWH, Western Wheatgrass Herbaceous Alliance


APPENDIX A
PHOTO POINT MAP AND DOCUMENTATION



ERO Resources Corp.
 1842 Clarkson Street
 Denver, CO 80218
 (303) 830-1188
 Fax: (303) 830-1199

Kineman Property RRA and Management Plan

➡ 1 Photo Point



1 inch = 300 Feet



**Appendix A
 Photo points**

Prepared for: City of Boulder Open Space
 and Mountain Parks
 File: 4089 Kineman photo points.pdf
 July 2008

APPENDIX B
PLANT SPECIES

APPENDIX B PLANT SPECIES

Plant Species Observed during the June 20, 2008 Site Visit

			Ponderosa Pine Woodland Alliance (PPW)	Quaking Aspen - Douglas Fir Forest Alliance (QADF)	Douglas Fir Forest Alliance (DFE)	Ponderosa Pine – Douglas Fir Forest Alliance (PDFE)	Ponderosa Pine Temporarily Flooded Woodland Alliance (PTW)
Native Annual/Biennial Forbs							
Collinsia parviflora		maiden blue eyed Mary			■	■	■
Introduced Annual/Biennial Forbs							
Cynoglossum officinale		houndstongue	■		■	■	
Melilotus officinalis		yellow sweetclover			■	■	
Sisymbrium altissimum		tall tumbled mustard	■		■		
Tragopogon dubius ssp. major		yellow salsify	■		■		
Verbascum thapsus		common mullein	■		■		
Introduced Annual Grasses							
Anisantha tectorum	Bromus tectorum	cheatgrass	■				■
Secale cereale		cereal rye	■				■
Native Perennial Forbs							
Achillea lanulosa	Achillea millefolium	western yarrow		■		■	
Amerosedum lanceolatum	Sedum lanceolatum	spearleaf stonecrop			■	■	
Artemisia ludoviciana		white sagebrush	■				■
Cerastium strictum	Cerastium arvense	field chickweed	■	■			■
Comandra umbellata ssp. pallida		pale bastard toadflax	■				■
Eriogonum sp.		wild buckwheat	■				■

			Ponderosa Pine Woodland Alliance (PPW)	Quaking Aspen - Douglas Fir Forest Alliance (QADF)	Douglas Fir Forest Alliance (DFF)	Ponderosa Pine – Douglas Fir Forest Alliance (PDFF)	Ponderosa Pine Temporarily Flooded Woodland Alliance (PTW)
Erysimum capitatum		sanddune wallflower		■		■	
Geranium richardsonii		Richardson's geranium	■				■
Helianthus pumilus		little sunflower	■				■
Heterotheca villosa		hairy false goldenaster				■	
Iris missouriensis		Rocky Mountain iris	■				■
Lithospermum incisum		narrowleaf stoneseed				■	
Lupinus sp.		lupine			■		
Mentha arvensis		wild mint		■			
Mertensia lanceolata		prairie bluebells			■	■	
Monarda fistulosa var. menthifolia		mintleaf bergamot				■	
Penstemon strictus		Rocky Mountain penstemon	■				■
Rubus idaeus ssp. melanolasius		grayleaf red raspberry		■			
Scutellaria brittonii		Britton's skullcap			■	■	
Solidago sp.		goldenrod		■			
Introduced Perennial Forbs							
Convolvulus arvensis		field bindweed	■				■
Linaria genistifolia ssp. dalmatica		Dalmatian toadflax	■				
Rumex acetosella	Acetosella vulgaris	common sheep sorrel	■				■
Taraxacum officinale		common dandelion				■	
Native Perennial Cool Season Grasses and Grass like							
Carex geyeri		Geyer's sedge		■	■	■	■

			Ponderosa Pine Woodland Alliance (PPW)	Quaking Aspen - Douglas Fir Forest Alliance (QADF)	Douglas Fir Forest Alliance (DFF)	Ponderosa Pine – Douglas Fir Forest Alliance (PDFF)	Ponderosa Pine Temporarily Flooded Woodland Alliance (PTW)
Ceratochloa carinata	Ceratochloa marginata	mountain brome, California brome	■			■	■
Elymus glaucus		blue wildrye		■		■	■
Elymus trachycaulus	Agropyron trachycaulum	slender wheatgrass			■	■	■
Hesperostipa comata	Stipa comata	needle and thread	■				■
Nassella viridula	Stipa viridula	green needlegrass	■				■
Pascopyrum smithii	Agropyron smithii	western wheatgrass				■	■
Poa fendleriana		muttongrass			■	■	■
Introduced Perennial Cool Season Grass							
Bromopsis inermis	Bromus inermis	smooth brome	■				■
Dactylis glomerata		orchardgrass	■				■
Phleum pratense		timothy	■				■
Native Perennial Warm Season Grasses							
Muhlenbergia montana		mountain muhly	■				■
Native Shrubs and Subshrubs							
Amelanchier alnifolia		Saskatoon serviceberry		■			
Arctostaphylos uva-ursi		kinnikinnick			■	■	
Artemisia frigida		fringed sage	■				■
Padus virginiana ssp. melanocarpa	Prunus virginiana ssp. melanocarpa	black chokecherry	■	■			■
Ribes lacustre		Prickly currant		■			■
Rubus idaeus ssp. melanolasius		grayleaf red raspberry		■			■

			Ponderosa Pine Woodland Alliance (PPW)	Quaking Aspen - Douglas Fir Forest Alliance (QADF)	Douglas Fir Forest Alliance (DFF)	Ponderosa Pine – Douglas Fir Forest Alliance (PDFF)	Ponderosa Pine Temporarily Flooded Woodland Alliance (PTW)
Native Trees							
<i>Pinus contorta</i> ssp. <i>latifolia</i>		lodgepole pine	■				
<i>Pinus ponderosa</i> ssp. <i>scopulorum</i>		ponderosa pine	■		■		■
<i>Populus tremuloides</i>		quaking aspen		■			
<i>Pseudotsuga menziesii</i>		Douglas-fir	■	■	■	■	■
<i>Sabina scopulorum</i>	<i>Juniperus scopulorum</i>	Rocky Mountain juniper	■			■	■

APPENDIX C
REFERENCES

APPENDIX C

REFERENCES

- Boulder County. 1996. County Open Space Plan.
<<http://www.co.boulder.co.us/lu/bccp/bccpmap/osplan.pdf>>. January 25.
- Boulder County. 2008a. Boulder County Assessor's Office.
<http://www.co.boulder.co.us/assessor/asrproprecords/assess_input.asp>.
January 24.
- Boulder County. 2008b. Boulder County Comprehensive Plan, Archaeologically Sensitive Areas. <http://www.co.boulder.co.us/lu/bccp/cult_res.htm>. January 25.
- Boulder County. 2008c. Boulder County Zoning District Map.
<<http://www.co.boulder.co.us/lu/pdf/zoningmap.pdf>>. January 25.
- Burns, Russell M., and Barbara H. Honkala (tech. cords.). 1990. Silvics of North America: 1. Conifers. Agriculture Handbook 654. U.S. Department.
- CDWR (Colorado Division of Water Resources). 2008. Online Mapping.
<<http://165.127.23.116/website/lttool>>. January 24.
- CNHP. (Colorado Natural Heritage program). 2006. Potential Conservation Area GIS database.
- Manning, R., C. Jacobi, and J.L. Marion. 2006. Recreation Monitoring at Acadia National Park. The George Wright Forum. Volume 23, Number 2 (2006).
- NDIS (Natural Diversity Information Source). 2008. GIS mapping of significant habitat elements for various wildlife species. Prepared by the Colorado Division of Wildlife.
- NRCS (National Resource Conservation Service). 1975. Soil Survey of Boulder County Area, Colorado. Denver, CO.
- OAHP (Colorado Historical Society, Office of Archeology and Historic Preservation). 2008. Records Search. January 28. Denver, CO.
- OSMP (City of Boulder Open Space and Mountain Parks). 2005. Visitor Master Plan.
- Tweto, Ogden. 1979. Geologic Map of Colorado. U.S. Geological Survey.
Denver, CO.
- USGS (U.S. Geological Survey). 1965, revised 1994. Eldorado Springs Quadrangle.
Denver, CO.

PHOTO POINTS
KINEMAN



Photo 1 - View south southwest from southeast corner of property.



Photo 2 - View west southwest from southeast corner of property.

PHOTO POINTS
KINEMAN



Photo 3 - View west from southeast corner of property.



Photo 4 - View northwest from southeast corner of property.

**PHOTO POINTS
KINEMAN**



Photo 5 - View north from southeast corner of property.



Photo 6 - View northeast from southeast corner of property.

PHOTO POINTS
KINEMAN



Photo 7 - View along north side of property from northeast corner of property.



Photo 8 - View southwest from northeast corner of property.

PHOTO POINTS
KINEMAN



Photo 9 - View along east side of property from northeast corner of property.



Photo 10 - View northeast along north side of property, including old lot entrance.

PHOTO POINTS
KINEMAN



Photo 11 - View east from north side of property.



Photo 12 - View southeast from north side of property.

PHOTO POINTS
KINEMAN



Photo 13 - View south from north side of property.



Photo 14 - View south southwest from north side of property.

**PHOTO POINTS
KINEMAN**



Photo 15 - View west southwest from north side of property.



Photo 16 - View west along north side of property.